



碧云天生物技术/Beyotime Biotechnology
订货热线: 400-1683301或800-8283301
订货e-mail: order@beyotime.com
技术咨询: info@beyotime.com
网址: http://www.beyotime.com

Caspase 8活性检测试剂盒

产品编号	产品名称	包装
C1152	Caspase 8活性检测试剂盒	100次

产品简介:

- Caspase 8活性检测试剂盒(Caspase 8 Activity Assay Kit)是采用分光光度法检测细胞或组织裂解液中caspase 8酶活性或纯化的caspase 8酶活性的试剂盒。
- Caspase (Cysteine-requiring Aspartate Protease)是一个在细胞凋亡过程中起重要作用的蛋白酶家族。Caspase 8也称FLICE、MACH或Mch5, 有时被写作caspase-8或caspase 8, 通常以酶原的形式存在, 在细胞凋亡的信号转导过程中被激活。Caspase 8被认为是细胞凋亡信号转导过程中比较上游的一个caspase。在Fas-receptor和TNFR-1介导的细胞凋亡过程中caspase 8被激活, 形成一个由p18和p10组成的二聚体, 进一步激活下游的caspase 4, caspase 6, caspase 9和caspase 10。
- 本Caspase 8活性检测试剂盒是基于caspase 8可以催化底物Ac-IETD-pNA (acetyl-Ile-Glu-Thr-Asp *p*-nitroanilide)产生黄色的pNA (*p*-nitroaniline), 从而可以通过测定吸光度来检测caspase 8的活性。pNA在405nm附近有强吸收。
- 试剂盒中提供了caspase 8催化产生的黄色产物pNA, 可以作为定量caspase 8酶活性的标准品。
- 本试剂盒用酶标仪检测或容量不超过100 μ l的分光光度检测杯检测时, 除标准曲线外可以检测100个样品。

包装清单:

产品编号	产品名称	包装
C1152-1	裂解液	30ml
C1152-2	检测缓冲液	10ml/瓶, 共2瓶
C1152-3	Ac-IETD-pNA (2mM)	200 μ l/管, 共5管
C1152-4	pNA (10mM)	1ml
—	说明书	1份

保存条件:

-20°C保存, Ac-IETD-pNA和pNA需避光保存。

注意事项:

- 须自备可以测定A405或A400的酶标仪或容量不超过100 μ l的分光光度检测杯及相应分光光度计。优先考虑测定A405, 如有困难可以测定A400。
- Ac-IETD-pNA需尽量避免反复冻融, 请注意适当分装。
- 测定蛋白浓度需Bradford蛋白浓度测定试剂盒(P0006), 可向碧云天订购。建议样品用水稀释1倍后再用Bradford法测定蛋白浓度, 以降低DTT对蛋白浓度测定的干扰。
- pNA (中文名为4-硝基苯胺) 对人体有毒, 操作时请特别小心, 并注意有效防护以避免直接接触人体或吸入体内。pNA (10mM)在4°C、冰浴等较低温度情况下会凝固而粘在离心管管底、管壁或管盖内, 可以20-25°C水浴温育片刻至全部融解后使用。
- 本试剂盒的裂解液可以和碧云天生产的其它caspase活性检测试剂盒的裂解液通用, 即本试剂盒裂解液制备的蛋白样品可以用于碧云天其它caspase活性检测试剂盒的检测。
- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用说明:

1. 准备工作:

- 裂解液溶解后混匀并置于冰浴上备用。
- 检测缓冲液溶解后混匀并置于冰浴上备用。

2. 测定pNA标准曲线:

- 标准品稀释液的配制: 按照每0.9ml检测缓冲液加入0.1ml裂解液的比例配制适量的标准品稀释液。
- 把试剂盒提供的pNA (10mM)用标准品稀释液稀释为0、10、20、50、100和200 μ M, 作为标准品。
- 每个浓度取100 μ l用酶标仪进行检测, 或取适当量用容量不超过100 μ l的分光光度检测杯进行检测, 测定A405。
- 每一个标准品的A405减去不含pNA的空白对照的A405计算出实际的因pNA而导致的吸光度, 并制作出pNA浓度相对于A405的标准曲线。pNA标准曲线可以参考图1, 在0-200 μ M范围内存在良好的线性关系。




图1. pNA标准曲线。实测数据可能因实验条件、检测仪器等的不同而存在差异，图中数据仅供参考。

3. 样品的收集:

- 对于悬浮细胞:** 把没有诱导凋亡的对照样品和诱导凋亡的样品，600g 4°C离心5分钟收集细胞，小心吸除上清，同时确保尽量没有细胞被吸除，PBS洗涤一次。同前吸尽上清后，按照每200万细胞加入100微升裂解液的比例加入裂解液（如果裂解不充分，可以把裂解液的用量提高至150或200微升），重悬沉淀，冰浴裂解15分钟。下转步骤3d。
- 对于贴壁细胞:** 吸取细胞培养液，备用。用胰酶消化贴壁细胞，并收集至备用的细胞培养液中。600g 4°C离心5分钟收集细胞，小心吸除上清，同时确保尽量没有细胞被吸除，PBS洗涤一次。同前吸尽上清后，按照每200万细胞加入100微升裂解液的比例加入裂解液（如果裂解不充分，可以把裂解液的用量提高至150或200微升），重悬沉淀，冰浴裂解15分钟。下转步骤3d。
- 对于组织样品:** 按照每3-10mg组织加入100微升裂解液的比例加入裂解液，在冰浴上用玻璃匀浆器匀浆。然后把匀浆液转移到1.5ml离心管中，冰浴再裂解5分钟。
- 4°C 16,000-20,000g离心10-15分钟。
- 把上清转移到冰浴预冷的离心管中。
- 立即测定caspase 8的酶活性或-70°C保存样品。同时可以取少量样品用Bradford法测定蛋白浓度，尽量使蛋白浓度达到1-3mg/ml，相当于每10微升待测样品中至少含有10-30μg蛋白。如果细胞较小，可以适当增加细胞的用量。

4. Caspase 8酶活性的检测:

- 取出适量的Ac-IETD-pNA (2mM)，置于冰浴上备用。
- 如下设置反应体系:

	空白对照	样品
检测缓冲液	40μl	40μl
待测样品	0μl	50μl
裂解液	50μl	0μl
Ac-IETD-pNA (2mM)	10μl	10μl
总体积	100μl	100μl

注意: 在设置反应体系时先加检测缓冲液，再加待测样品，适当混匀，注意避免在混匀时产生气泡。随后再加入10μl Ac-IETD-pNA (2mM)。

- 加入Ac-IETD-pNA (2mM)后混匀，注意避免在混匀时产生气泡。37°C孵育60-120分钟。发现颜色变化比较明显时即可测定A405。如果颜色变化不明显，可以适当延长孵育时间，甚至可以孵育过夜。
- 样品的A405扣除空白对照的A405，即为样品中caspase 8催化产生的pNA产生的吸光度。通过同步步骤1中获得的标准曲线的对比就可以计算出样品中催化产生了多少量的pNA。
- 参考Chemicon公司的caspase 8酶活力单位的定义：One unit is the amount of enzyme that will cleave 1.0nmol of the colorimetric substrate Ac-IETD-pNA per hour at 37°C under saturated substrate concentrations。即一个酶活力单位定义为当底物饱和时，在37°C一个小时内可以剪切1nmol Ac-IETD-pNA产生1nmol pNA的caspase 8的酶量。这样就可以计算出样品中含有多少个酶活力单位的caspase 8。说明：在本试剂盒的检测体系中，底物的起始浓度为0.2mM，此时底物是饱和的，对于许多样品而言在37°C孵育2个小时以内底物都是饱和的；对于样品中caspase 8酶活力特别高的情况，须用裂解液适当稀释样品后再进行测定。
- 用Bradford法检测待测样品中的蛋白浓度(由于裂解液中含有较高浓度的DTT，不适合采用BCA法进行蛋白浓度测定)。这样就可以计算出一个样品单位重量蛋白中所含的caspase 8的酶活力单位。

常见问题:

1. 测定出的A405过低:

- 样品中蛋白含量太低，裂解样品时需设法使样品中的蛋白浓度至少达到1-3mg/ml。
- 样品中激活的caspase水平很低。首先确认凋亡现象是否明显，如果凋亡比较明显并且确认该caspase是可以被激活的，

可以适当调节诱导细胞凋亡的时间，希望能找到一个caspase激活比较强的时间点，这样就可以检测出该caspase的激活。可以作一时间曲线，例如诱导凋亡0、2、4、8、16和24小时，或0、1、2、4、8和16小时，或0、1、2、4、6和8小时等。具体的诱导凋亡时间需根据具体情况而定。

2. 测定出的A405过高或者样品量不足:

测定出来的A405读数过高时，可以参考下表的反应体系适当减少样品的用量；样品量不足时也可以参考下表减少样品的用量。

	空白对照	样品
检测缓冲液	40μl	40μl
待测样品	0μl	xμl
裂解液	50μl	(50-x)μl
Ac-IETD-pNA (2mM)	10μl	10μl
总体积	100μl	100μl

说明：其中x不超过50，其余检测方法同上面的使用说明所述。

相关产品:

产品编号	产品名称	包装
C1101	Caspase 1 活性检测试剂盒	20次
C1102	Caspase 1 活性检测试剂盒	100次
C1107	Caspase 2 活性检测试剂盒	20次
C1108	Caspase 2 活性检测试剂盒	100次
C1115	Caspase 3 活性检测试剂盒	20次
C1116	Caspase 3 活性检测试剂盒	100次
C1121	Caspase 4 活性检测试剂盒	20次
C1122	Caspase 4 活性检测试剂盒	100次
C1135	Caspase 6 活性检测试剂盒	20次
C1136	Caspase 6 活性检测试剂盒	100次
C1151	Caspase 8 活性检测试剂盒	20次
C1152	Caspase 8 活性检测试剂盒	100次
C1157	Caspase 9 活性检测试剂盒	20次
C1158	Caspase 9 活性检测试剂盒	100次
P0006	Bradford蛋白浓度测定试剂盒	1000次

使用本产品的文献:

- Liu C, Yu K, Shi X, Wang J, Lam P, Wu R, Zhou, B. Induction of oxidative stress and apoptosis by PFOS and PFOA in primary cultured hepatocytes of freshwater tilapia (*Oreochromis niloticus*). *Aquatic Toxicology*. 2007; 82(2): 135-43.
- Qian YF, Wang H, Yao WB, Gao XD. Aqueous extract of the Chinese medicine, Danggui-Shaoyao-San, inhibits apoptosis in hydrogen peroxide-induced PC12 cells by preventing cytochrome c release and inactivating of caspase cascade. *Cell Biol Int*. 2008 Feb; 32(2):304-11.
- Cai L, Wang H, Li Q, Qian Y, Yao W. Salidroside inhibits H2O2-induced apoptosis in PC12 cells by preventing cytochrome c release and inactivating of caspase cascade. *Acta Biochim Biophys Sin (Shanghai)*. 2008 Sep; 40(9):796-802.
- Shi DH, Wu JH, Ge HM, Tan RX. Protective effect of hopeahainol A, a novel acetylcholinesterase inhibitor, on hydrogen peroxide-induced injury in PC12 cells. *Environmental Toxicology and Pharmacology*. 2009; Jul. 28(1) 30–36.
- Liu H, Dong A, Gao C, Tan C, Xie Z, Zu X, Qu L, Jiang Y. New synthetic flavone derivatives induce apoptosis of hepatocarcinoma cells. *Bioorg Med Chem*. 2010; 18(17):6322-8.
- Wang GF, Guo YW, Feng B, Li L, Huang CG, Jiao BH. Tanghinigenin from seeds of *Cerbera manghas* L. induces apoptosis in human promyelocytic leukemia HL-60 cells. *Environmental Toxicology and Pharmacology*. 2010 Jul;30(1):31-6.
- Zhu JR, Tao YF, Lou S, Wu ZM. Protective effects of ginsenoside Rb(3) on oxygen and glucose deprivation-induced ischemic injury in PC12 cells. *Acta Pharmacol Sin*. 2010; 31(3):273-80.
- Shi YQ, Wang YP, Song Y, Li HW, Liu CJ, Wu ZG, Yang KD. p,p'-DDE induces testicular apoptosis in prepubertal rats via the Fas/FasL pathway. *Toxicol Lett*. 2010; 193(1):79-85.
- Li W, Xie L, Chen Z, Zhu Y, Sun Y, Miao Y, Xu Z, Han X. Cantharidin, a potent and selective PP2A inhibitor, induces an oxidative stress-independent growth inhibition of pancreatic cancer cells through G2/M cell-cycle arrest and apoptosis. *Cancer Sci*. 2010 May; 101(5):1226-33.
- Zhao Q, Guo YW, Feng B, Li L, Huang CG, Jiao BH. Neriifolin from seeds of *Cerbera manghas* L. induces cell cycle arrest and apoptosis in human hepatocellular carcinoma HepG2 cells. *Fitoterapia* 2011 Jul;82(5):735–41.
- Zhang Y, Li RJ, Ying X, Tian W, Yao HJ, Men Y, Yu Y, Zhang L, Ju RJ, Wang XX, Zhou J, Chen JX, Li N, Lu WL. Targeting therapy with mitochondrial daunorubicin plus amlodipine has the potential to circumvent intrinsic resistant breast cancer. *Mol Pharm*. 2011 Feb 7; 8(1):162-75.
- Zhang YH, Zhao CQ, Jiang LS, Dai LY. Cyclic stretch-induced apoptosis in rat annulus fibrosus cells is mediated in part by endoplasmicreticulum stress through nitric oxide production. *Eur Spine J*. 2011 Aug; 20(8):1233-43.
- Jiang CP, Ding H, Shi DH, Wang YR, Li EG, Wu JH. Pro-apoptotic effects of tectorigenin on human hepatocellular carcinoma HepG2 cells. *World J Gastroenterol*. 2012 Apr 21;18(15):1753-64.
- Wang J, Wang Q, Li J, Shen Q, Wang F, Wang L. Cadmium induces hydrogen peroxide production and initiates hydrogen peroxide-dependent apoptosis in the gill of freshwater crab, *Sinopotamon henanense*. *Comp Biochem Physiol C Toxicol Pharmacol*. 2012 Nov;156(3-4):195-201
- Chen T, Zhang L, Yue JQ, Lv ZQ, Xia W, Wan YJ, Li YY, Xu SQ. Prenatal PFOS exposure induces oxidative stress and apoptosis in the lung of rat off-spring. *Reprod Toxicol*. 2012 Jul; 33(4):538-45.

16. Ma EL, Zhao DM, Li YC, Cao H, Zhao QY, Li JC, Sun LX. Activation of ATM-Chk2 by 16-dehydropregnenolone induces G1 phase arrest and apoptosis in HeLa cells. *J Asian Nat Prod Res.* 2012; 14(9):817-25.
17. Zhou Y, Tao J, Yu H, Ni J, Zeng L, Teng Q, Kim KS, Zhao GP, Guo X, Yao Y. Hcp family proteins secreted via the type VI secretion system coordinately regulate Escherichiacoli K1 interaction with human brain microvascular endothelial cells. *Infect Immun.* 2012 Mar; 80(3):1243-51.
18. Zhao D, Lin F, Wu X, Zhao Q, Zhao B, Lin P, Zhang Y, Yu X. Pseudolaric acid B induces apoptosis via proteasome-mediated Bcl-2 degradation in hormone-refractory prostate cancer DU145 cells. *Toxicol In Vitro.* 2012 Jun; 26(4):595-602.
19. Zhang L, Ji Q, Ni ZH, Sun J. Prohibitin induces apoptosis in BGC823 gastric cancer cells through the mitochondrial pathway. *Asian Pac J Cancer Prev.* 2012; 13(8):3803-7.
20. Zhang H, Shao D, Wu Y, Cai C, Hu C, Shou X, Dai B, Ye B, Wang M, Jia X. Apoptotic responses of *Carassius auratus* lymphocytes to nodularin exposure in vitro. *Fish Shellfish Immunol.* 2012 Dec; 33(6):1229-37.
21. Qin J, Shang L, Ping AS, Li J, Li XJ, Yu H, Magdalou J, Chen LB, Wang H. TNF/TNFR signal transduction pathway-mediated anti-apoptosis and anti-inflammatory effects of sodium ferulate on IL-1 β -induced rat osteoarthritis chondrocytes in vitro. *Arthritis Res Ther.* 2012 Nov 7; 14(6):R242.
22. Liu J, Lu Y, Liang J. A novel fluorescence derivatization method combined with HPLC for determining the activities of endogenous caspase. *Analyst.* 2012 Nov 7; 137(21):5097-104.
23. Chen XM, Liu J, Wang T, Shang J. Colchicine-induced apoptosis in human normal liver L-02 cells by mitochondrial mediated pathways. *Toxicol In Vitro.* 2012 Aug; 26(5):649-55.
24. Mao Z, Xia W, Wang J, Chen T, Zeng Q, Xu B, Li W, Chen X, Xu S.
25. Perfluorooctane sulfonate induces apoptosis in lung cancer A549 cells through reactive oxygen species-mediated mitochondrion-dependent pathway. *J Appl Toxicol.* 2013 Nov; 33(11):1268-76.
26. Hu M, Xu L, Yin L, Qi Y, Li H, Xu Y, Han X, Peng J, Wan X. Cytotoxicity of dioscin in human gastric carcinoma cells through death receptor and mitochondrial pathways. *J Appl Toxicol.* 2013 Aug; 33(8):712-22.
27. Zhang JF, Zhang JG, Kuai XL, Zhang H, Jiang W, Ding WF, Li ZL, Zhu HJ, Mao ZB. Reactivation of the homeotic tumor suppressor gene CDX2 by 5-aza-2'-deoxycytidine-induced demethylation inhibits cell proliferation and induces caspase-independent apoptosis in gastric cancer cells. *Exp Ther Med.* 2013 Mar; 5(3):735-741.
28. Fang XY, Chen W, Fan JT, Song R, Wang L, Gu YH, Zeng GZ, Shen Y, Wu XF, Tan NH, Xu Q, Sun Y. Plant cyclopeptide RA-V kills human breast cancer cells by inducing mitochondria-mediated apoptosis through blocking PDK1-AKT interaction. *Toxicol Appl Pharmacol.* 2013 Feb 15; 267(1):95-103.
29. Shu G, Yang T, Wang C, Su H, Xiang M. Gastrodin stimulates anticancer immune response and represses transplanted H22 hepatic ascitic tumor cell growth: Involvement of NF- κ B signaling activation in CD4⁺ T cells. *Toxicol Appl Pharmacol.* 2013 Jun 15; 269(3):270-9.
30. Qiu L, Chen Y, Gao M, Zheng C, Zhao Q. Phagocytic uptake and ROS-mediated cytotoxicity in human hepatic cell line of amphiphilic polyphosphazene nanoparticles. *J Biomed Mater Res A.* 2013 Jan; 101(1):285-97.
31. Zhang J, Wu GQ, Zhang Y, Feng ZY, Zhu SM. Propofol induces apoptosis of hepatocellular carcinoma cells by upregulation of microRNA-199a expression. *Cell Biol Int.* 2013 Mar; 37(3):227-32.
32. Qiu Q, Xiong W, Yang C, Gagnon C, Hardy P. Lymphocyte-derived microparticles induce bronchial epithelial cells' pro-inflammatory cytokine production and apoptosis. *Mol Immunol.* 2013 Oct ; 55(3-4):220-30.
33. Wu WY, Wang WY, Ma YL, Yan H, Wang XB, Qin Y, Su M, Chen T, Wang YP. Sodium tanshinone IIA silicate inhibition of oxygen-glucose deprivation/reperfusion-induced myocardial cell apoptosis via suppression of the NF- κ B/TNF- α pathway. *Br J Pharmacol.* 2013 Mar 20.
34. Zhang D, Wang HW, Yao CL. Molecular and acute temperature stress response characterizations of caspase-8 gene in two mussels, *Mytilus coruscus* and *Mytilus galloprovincialis*. *Comp Biochem Physiol B Biochem Mol Biol.* 2014 Nov-Dec; 177-178:10-20.
35. Liang Z, Guo YT, Yi YJ, Wang RC, Hu QL, Xiong XY. Ganoderma lucidum polysaccharides target a Fas/caspase dependent pathway to induce apoptosis in human colon cancer cells. *Asian Pac J Cancer Prev.* 2014; 15(9):3981-6.
36. Yang L, Liu X, Wu D, Zhang M, Ran G, Bi Y, Huang H. Growth inhibition and induction of apoptosis in SGC 7901 human gastric cancer cells by evodiamine. *Mol Med Rep.* 2014 Apr; 9(4):1147-52.
37. Yi S, Wen L, He J, Wang Y, Zhao F, Zhao J, Zhao Z, Cui G, Chen Y. Deguelin, a selective silencer of the NPM1 mutant, potentiates apoptosis and induces differentiation in AML cells carrying the NPM1 mutation. *Ann Hematol.* 2015 Feb; 94(2): 201-10.
38. Lu J, Li Y, Shen Z, Lu C, Lu L. TNF- α is involved in apoptosis triggered by grass carp reovirus infection in vitro. *Fish Shellfish Immunol.* 2016 Aug; 55:559-67.
39. Tian F, Yao J, Yan M, Sun X, Wang W, Gao W, Tian Z, Guo S, Dong Z, Li B, Gao T, Shan P, Liu B, Wang H, Cheng J, Gao Q, Zhang Z, Cao W, Tian Y. 5-Aminolevulinic Acid-Mediated Sonodynamic Therapy Inhibits RIPK1/RIPK3-Dependent Necroptosis in THP-1-Derived Foam Cells. *Sci Rep.* 2016 Feb 25; 6:21992.
40. Yang C, Wang H, Zhang B, Chen Y, Zhang Y, Sun X, Xiao G, Nan K, Ren H, Qin S. LCL161 increases paclitaxel-induced apoptosis by degrading cIAP1 and cIAP2 in NSCLC. *J Exp Clin Cancer Res.* 2016 Sep 30; 35(1):158.
41. Wang H, Yu Y, Li J, Wu H, Sun J, Zhang Z, Geng L, Yu X, Liu Z. Cadmium stimulates mouse skin fibroblast apoptosis by affecting intracellular homeostasis. *Drug Chem Toxicol.* 2017 Jan; 40(1):74-84.
42. Fang Y, Xu Z, Shi Y, Pei F, Yang W, Ma N, Kimatu BM, Liu K, Qiu W, Hu Q. Protection mechanism of Se-containing protein hydrolysates from Se-enriched rice on Pb²⁺-induced apoptosis in PC12 and RAW264.7 cells. *Food Chem.* 2017 Mar 15; 219:391-398.
43. Tian Q, Wang Y, Zhang Q, Luo J, Jiang H, Zhang B, Mei M, Wu F, Wu Y, Peng J, Long T, Luo Y, Guo X. Phosphoprotein Gene Contributes to the Enhanced Apoptosis Induced by Wild-Type Rabies Virus GD-SH-01 In Vitro. *Front Microbiol.* 2017 Sep 5; 8:1697.
44. Chen X, Hao K, Yu X, Huang A, Zhu B, Wang GX, Ling F. Magnolol protects *Ctenopharyngodon idella* kidney cells from apoptosis induced by grass carp reovirus. *Fish Shellfish Immunol.* 2018 Mar; 74:426-435.
45. Yang S, Bao H, Wang H, Li Q. Anti-tumour Effect and Pharmacokinetics of an Active Ingredient Isolated from *Inonotus hispidus*. *Biol Pharm Bull.* 2019; 42(1):10-17
46. Batulu H, Du GJ, Li DZ, Sailike D, Fan YH, Geng D. Effect of polyarginine R18 on neurocyte cell growth via autophagy in traumatic brain injury. *Exp Ther Med.* 2019 May; 17(5):4109-4115
47. Wang M, Wang Z, Zhu X, Guan S, Liu Z. NFKB1-miR-612-FAIM2 pathway regulates tumorigenesis in neurofibromatosis type 1. *IN VITRO CELL DEV-AN.* 2019 Aug; 55(7):491-500
48. Yang X, Zhang X, Zhang J, Ji Q, Huang W, Zhang X, Li Y. Spermatogenesis disorder caused by T-2 toxin is associated with germ cell apoptosis mediated by oxidative stress. *Environ Pollut.* 2019 Aug; 251:372-379
49. Wang P, Zhang SD, Jiao J, Wang W, Yu L, Zhao XL, Wang LT, Meng D, Fu YJ. ROS-mediated p53 activation by juglone enhances apoptosis and autophagy in vivo and in vitro. *TOXICOL APPL PHARM.* 2019 Sep 15; 379:114647
50. Yang Y, Shao R, Jiang R, Zhu M, Tang L, Li L, Zhang L. β -Hydroxybutyrate exacerbates lipopolysaccharide/d-galactosamine-induced inflammatory response and hepatocyte apoptosis in mice. *J BIOCHEM MOL TOXIC.* 2019 Sep; 33(9):e22372
51. Wu S, Yi Z, Ling M, Liu S, Sun Z, Guo X. DR4-Associated Death Receptor Signal Promotes Cartilage Damage in Patients With Kashin-Beck Disease. *Cartilage.* 2019 Nov 24; 19476035
52. Fang Q, Jiang S, Li C. Evodiamine Selectively Inhibits Multiple Myeloma Cell Growth by Triggering Activation of Intrinsic Apoptosis Pathway. *ONCOTARGETS THER.* 2019 Dec 24; 12:11383-11391
53. Dongdong Zhang, Yujiao Liu, Ziyi Luo, Yanling Chen, Anjie Xu, Yuxing Liang, Balu Wu, Xiqin Tong, Xiaoyan Liu, Hui Shen, Li Liu, Yongchang Wei, Haibing Zhou, Yi Liu, Fuling Zhou. The novel thioredoxin reductase inhibitor A-Z2 triggers intrinsic apoptosis and shows efficacy in the treatment of acute myeloid leukemia. *FREE RADICAL BIO MED.* 2020 Jan; 146:275-286. doi: 10.1016/j.freeradbiomed.2019.11.013
54. Xue Bai, Tian-Yang Tan, Yun-Xin Li, Yue Li, Ya-Fei Chen, Ru Ma, Shu-Yan Wang, Qiang Li, Zhen-Quan Liu. The protective effect of cordyceps sinensis extract on cerebral ischemic injury via modulating the

- mitochondrial respiratory chain and inhibiting the mitochondrial apoptotic pathway *Biomed Pharmacother.* 2020 Apr;124:109834.;doi: 10.1016/j.biopha.2020.109834
55. Hao Zhang, Yanan Chen, Yueping Chen, Peilu Jia, Shuli Ji, Jianxiong Xu, Yue Li, Tian Wang. Comparison of the effects of resveratrol and its derivative pterostilbene on hepatic oxidative stress and mitochondrial dysfunction in piglets challenged with diquat *Food Funct.* 2020 May 1;11(5):4202-4215.;doi: 10.1039/d0fo00732c
 56. Rongli Sun, Zhaodi Man, Jiahui Ji, Shuangbin Ji, Kai Xu, Yunqiu Pu, Linling Yu, Juan Zhang, Lihong Yin, Yuepu Pu. l-Carnitine protects against 1,4-benzoquinone-induced apoptosis and DNA damage by suppressing oxidative stress and promoting fatty acid oxidation in K562 cells *Environ Toxicol.* 2020 Oct;35(10):1033-1042.;doi: 10.1002/tox.22939
 57. Ying Liu, Jiawen Wang, Juhui Qiao, Shichao Liu, Siming Wang, Daqing Zhao, Xueyuan Bai, Meichen Liu. Ginsenoside Rh2 inhibits HeLa cell energy metabolism and induces apoptosis by upregulating voltage-dependent anion channel 1 *Int J Mol Med.* 2020 Nov;46(5):1695-1706.;doi: 10.3892/ijmm.2020.4725
 58. Lu Liu, Li Zhang, Longjiang Li, Mengting Chen, Zhe Wang, Yi Shen, Jiayi Huang, Ling Tang. Sleep deprivation aggravated lipopolysaccharide/D-galactosamine-induced acute liver injury by suppressing melatonin production *Inflamm Res.* 2020 Nov;69(11):1133-1142.;doi: 10.1007/s00011-020-01393-3
 59. Qing Lu, Weili Chen, Yajie Ji, Yu Liu, Xiaohong Xue. Ursolic Acid Enhances Cytotoxicity of Doxorubicin-Resistant Triple-Negative Breast Cancer Cells via ZEB1-AS1/ miR-186-5p/ ABCC1 Axis *CANCER BIOTHER RADIO.* 2021 Jan 25.;doi: 10.1089/cbr.2020.4147
 60. Wei Yang, Yunlei Li, Shuai Liu, Weimin Sun, Hualan Huang, Qiqing Zhang, Jie Yan. Inhibition of ULK1 promotes the death of leukemia cell in an autophagy irrelevant manner and exerts the antileukemia effect *Clin Transl Med.* 2021 Jan;11(1):e282.;doi: 10.1002/ctm2.282.
 61. Zhiping Li, Hui Bi, Hongbo Jiang, Jingjing Song, Qingfan Meng, Yizhi Zhang, Xiaofang Fei. Neuroprotective effect of emodin against Alzheimer's disease via Nrf2 signaling in U251 cells and APP/PS1 mice *Mol Med Rep.* 2021 Feb;23(2):108.;doi: 10.3892/mmr.2020.11747
 62. Yanting Zhu, Jintuo Zhou, Peiguang Niu, Huajiao Chen, Daohua Shi. Cardamonin inhibits cell proliferation by caspase-mediated cleavage of Raptor N-S *ARCH PHARMACOL.* 2021 Apr;394(4):809-817.;doi: 10.1007/s00210-020-01986-z

Version 2021.09.01