



碧云天生物技术/Beyotime Biotechnology
订货热线：400-168-3301或800-8283301
订货e-mail：order@beyotime.com
技术咨询：info@beyotime.com
网址：http://www.beyotime.com

LY294002 (PI3K 抑制剂)

产品编号	产品名称	包装
S1737-1mg	LY294002 (PI3K抑制剂)	10mg/ml×0.1ml
S1737-5mg	LY294002 (PI3K抑制剂)	5mg
S1737-25mg	LY294002 (PI3K抑制剂)	25mg

产品简介：

- LY294002也写作LY-294,002, LY-294002或LY 294002，是一种常用的phosphatidylinositol 3-kinase (PI3K)抑制剂。LY294002可以通透细胞，特异性抑制PI3K，抑制PI3K/Akt信号途径，包括常见的抑制Akt磷酸化等。LY294002对于纯化的PI3K的IC50为1.4μM。
- LY294002分子量为307.3，分子式为C₁₉H₁₇NO₃，CAS Number : 154447-36-6。本产品纯度大于98%。
- 本LY294002为进口分装，其中10mg/ml包装产品用DMSO配制，共0.1ml。5mg和25mg包装为粉末装。

包装清单：

产品编号	产品名称	包装
S1737-1mg	LY294002 (PI3K抑制剂)	10mg/ml×0.1ml
S1737-5mg	LY294002 (PI3K抑制剂)	5mg
S1737-25mg	LY294002 (PI3K抑制剂)	25mg
—	说明书	1份

保存条件：

-20°C保存，半年有效。

注意事项：

- 本LY294002在4°C、冰浴等较低温度情况下会凝固而粘在离心管管底、管壁或管盖内，可以20-25°C水浴温育片刻至全部融解后使用。
- 本产品仅限于专业人员的科学的研究用，不得用于临床诊断或治疗，不得用于食品或药品，不得存放于普通住宅内。
- 为了您的安全和健康，请穿实验服并戴一次性手套操作。

使用说明：

1. LY294002常见使用浓度范围为1-50μM。具体的最佳工作浓度请参考相关文献，或根据实验目的，以及所培养的特定细胞和组织，通过实验进行摸索和优化。

使用本产品的文献：

1. Tang XD, Zhou X, Zhou KY. Dauricine inhibits insulin-like growth factor-I-induced hypoxia inducible factor 1alpha protein accumulation and vascular endothelial growth factor expression in human breast cancer cells. *Acta Pharmacol Sin.* 2009 May;30(5):605-16.
2. Liu HT, Li WM, Xu G, Li XY, Bai XF, Wei P, Yu C, Du YG. Chitosan oligosaccharides attenuate hydrogen peroxide-induced stress injury in human umbilical vein endothelial cells. *Pharmacol Res.* 2009;59(3):167-75.
3. Zhong W, Zou G, Gu J, Zhang J. L-arginine attenuates high glucose-accelerated senescence in human umbilical vein endothelial cells. *Diabetes Res Clin Pract.* 2010;89(1):38-45.
4. Liu HT, Du YG, He JL, Chen WJ, Li WM, Yang Z, Wang YX, Yu C. Tetramethylpyrazine inhibits production of nitric oxide and inducible nitric oxide synthase in lipopolysaccharide-induced N9 microglial cells through blockade of MAPK and PI3K/Akt signaling pathways, and suppression of intracellular reactive oxygen species. *Ethnopharmacol.* 2010;129(3):335-43.
5. Du DS, Ma XB, Zhang JF, Zhou XY, Li Y, Zhang YM, Qiao WL. The protective effect of capsaicin receptor-mediated genistein post conditioning on gastric ischemia-reperfusion injury in rats. *Dig Dis Sci.* 2010;55(11):3070-7.
6. Chen SD, Chen YB, Peng Y, Xu J, Chen SS, Zhang JL, Li ZZ, Tan Z. Role of PI3K/Akt signaling in the protective effect of magnesium sulfate against ischemia-perfusion injury of small intestine in rats. *Chin Med J (Engl).* 2010 Jun;123(11):1447-52.
7. Zhang P, Chao H, Sun X, Li L, Shi Q, Shen W. Murine folliculogenesis in vitro is stage-specifically regulated by insulin via the Akt signaling pathway. *Histochem Cell Biol.* 2010 Jul;134(1):75-82.
8. Liu HT, Huang P, Ma P, Liu QS, Yu C, Du YG. Chitosan oligosaccharides suppress LPS-induced IL-8 expression in human umbilical vein endothelial cells through blockade of p38 and Akt protein kinases. *Acta Pharmacol Sin.* 2011 Apr;32(4):478-86.
9. Shi H, Feng JM. Aristolochic acid induces apoptosis of human umbilical vein endothelial cells in vitro by suppressing PI3K/Akt signaling pathway. *Acta Pharmacol Sin.* 2011 Aug;32(8):1025-30.
10. Jiang Z, Li S, Liu Y, Deng P, Huang J, He G. Sesamin induces melanogenesis by microphthalmia-associated transcription factor and tyrosinaseup-regulation via cAMP signaling pathway. *Acta Biochim Biophys Sin (Shanghai).* 2011 Oct;43(10):763-70.
11. Tang ZN, Zhang F, Tang P, Qi XW, Jiang J. Hypoxia induces RANK and RANKL expression by activating HIF-1α in breast cancer cells. *Biochem Biophys Res Commun.* 2011 May 13;408(3):411-6.

12. Chen S, Liu AR, An FM, Yao WB, Gao XD. Amelioration of neurodegenerative changes in cellular and rat models of diabetes-related Alzheimer's disease by exendin-4. *Age (Dordr)*. 2011 Sep 8.
13. Liu S, Li Y, Lin T, Fan X, Liang Y, Heemann U. High dose human insulin and insulin glargine promote T24 bladder cancer cell proliferation via PI3K-independent activation of Akt. *Diabetes Res Clin Pract*. 2011 Feb;91(2):177-82.
14. Huang Q, Yang Y, Li X, Huang S. Transcription suppression of SARI (suppressor of AP-1, regulated by IFN) by BCR-ABL in humanleukemia cells. *Tumour Biol*. 2011 Dec;32(6):1191-7.
15. Sheng X, Li M, Song S, Zhang N, Wang Y, Liang H, Wang W, Ji A. Sulfated polysaccharide isolated from the sea cucumber Stichopus japonicus promotesneurosphere migration and differentiation via up-regulation of N-Cadherin. *Cell Mol Neurobiol*. 2012 Apr;32(3):435-42.
16. Qiu J, Peng Q, Zheng Y, Hu J, Luo X, Teng Y, Jiang T, Yin T, Tang C, Wang G. OxLDL stimulates Id1 nucleocytoplasmic shuttling in endothelial cell angiogenesis via PI3KPathway. *Biochim Biophys Acta*. 2012 Jul 24;1821(10):1361-1369.
17. Yu L, Liu Y, Qiu Z, Liu S, Gao X, Zhu D. Cellular mechanisms and intracellular signaling pathways for the modulation of eNOS in pulmonary arteries by 15-HETE. *J Recept Signal Transduct Res*. 2012 Apr;32(2):87-95.
18. Zhu F, Shen F, Fan Y, Xie Y, Xia Y, Kong Y. Osteopontin increases the expression of β 1, 4-Galactosyltransferase-I and promotes adhesion inhuman RL95-2 cells. *Glycoconj J*. 2012 Jul 31.
19. Li HX, Kong FJ, Bai SZ, He W, Xing WJ, Xi YH, Li GW, Guo J, Li HZ, Wu LY, Wang R, Yang GD, Tian Y, Xu CQ. Involvement of calcium-sensing receptor in oxLDL-induced MMP-2 production in vascular smoothmuscle cells via PI3K/Akt pathway. *Mol Cell Biochem*. 2012 Mar;362(1-2):115-22.
20. Li W, Wang G, Zhang H, Shen Y, Dai J, Wu L, Zhou J, Jiang Z, Li K. Inability of NS1 protein from an H5N1 influenza virus to activate PI3K/Akt signaling pathwaycorrelates to the enhanced virus replication upon PI3K inhibition. *Vet Res*. 2012 Apr 24;43(1):36.
21. Rao J, Li J, Liu Y, Lu P, Sun X, Sugumaran PK, Zhu D. The key role of PGC-1 α in mitochondrial biogenesis and the proliferation of pulmonary arteryvascular smooth muscle cells at an early stage of hypoxic exposure. *Mol Cell Biochem*. 2012 Aug;367(1-2):9-18.
22. Zhou FT, Chen SC, Xiong JP, Li YH, Qu L. Luteolin Reduces Zinc-Induced Tau Phosphorylation at Ser262/356 in an ROS-Dependent Manner inSH-SY5Y Cells. *Biol Trace Elem Res*. 2012 Apr 14.
23. Gong C, Liao H, Wang J, Lin Y, Qi J, Qin L, Tian LQ, Guo FJ. LY294002 induces G0/G1 cell cycle arrest and apoptosis of cancer stem-like cells from human osteosarcoma viadown-regulation of PI3K activity. *Asian Pac J Cancer Prev*. 2012;13(7):3103-7.
24. Liu Q, Zheng J, Yin DD, Xiang J, He F, Wang YC, Liang L, Qin HY, Liu L, Liang YM, Han H. Monocyte to macrophage differentiation-associated (MMD) positively regulates ERK and Akt activation and TNF- α and NO production in macrophages. *Mol Biol Rep*. 2012 May;39(5):5643-50.
25. Feng Y, Dai X, Li X, Wang H, Liu J, Zhang J, Du Y, Xia L. EGF signalling pathway regulates colon cancer stem cell proliferation and apoptosis. *Cell Prolif*. 2012 Oct;45(5):413-9.
26. Wang K, Zhao X, Kuang C, Qian D, Wang H, Jiang H, Deng M, Huang L. Overexpression of SDF-1 α enhanced migration and engraftment of cardiac stem cells and reduced infarcted sizevia CXCR4/PI3K pathway. *PLoS One*. 2012;7(9):e43922.
27. Song DY, Huang QH, Zhou BR, Xu Y, Yin ZQ, Permatasari F, Luo D. Tanshinone IIA inhibits the dihydrotestosterone-induced secretion of lipids and activation of sterol regulatoryelement binding protein-1 in HaCaT cells. *Exp Ther Med*. 2012 Aug;4(2):339-343.
28. Tian J, Jiang Y. Insulin upregulates the expression of zinc finger and BTB domain-containing 7A in HepG2 cells. *Mol Med Rep*. 2012 Dec;6(6):1379-84.
29. Yuan L, Wang J, Xiao H, Xiao C, Wang Y, Liu X. Isoorientin induces apoptosis through mitochondrial dysfunction and inhibition of PI3K/Akt signaling pathway inHepG2 cancer cells. *Toxicol Appl Pharmacol*. 2012 Nov 15;265(1):83-92.
30. Zhang QH, Zu XY, Cao RX, Liu JH, Mo ZC, Zeng Y, Li YB, Xiong SL, Liu X, Liao DF, Yi GH. An involvement of SR-B1 mediated PI3K-Akt-eNOS signaling in HDL-induced cyclooxygenase 2 expression andprostacyclin production in endothelial cells. *Biochem Biophys Res Commun*. 2012 Mar 30;420(1):17-23.
31. Wu J, Meng J, Du Y, Huang Y, Jin Y, Zhang J, Wang B, Zhang Y, Sun M, Tang J. RACK1 promotes the proliferation, migration and invasion capacity of mouse hepatocellular carcinoma cell line invitro probably by PI3K/Rac1 signaling pathway. *Biomed Pharmacother*. 2013 May; 67(4):313-9.
32. Zhou QL, Yang CX, Liang H, Liu HZ, Wang HB, Liu Y, Lai XH, Gu MN. WITHDRAWN: Propofol reduces MMPs expression by inhibiting PI3K/AKT activity in human HepG2 cells. *Biomed Pharmacother*. 2013 Feb 14. pii: S0753-3322(13)00008-5.
33. SUN J, ZHU H, LIU C, LI M, HUA J. GDNF Up-Regulates c-Myc Transcription via the PI3K/Akt Pathway to Promote Dairy Goat Male Germline Stem Cells (mGSC) Proliferation. *Journal of Integrative Agriculture*. Volume 12, Issue 6, June 2013, Pages 1054-1065.
34. Xue P, Wu X, Zhou L, Ma H, Wang Y, Liu Y, Ma J, Li Y. IGF1 promotes osteogenic differentiation of mesenchymal stem cells derived from rat bone marrow by increasingTAZ expression. *Biochem Biophys Res Commun*. 2013 Apr 5;433(2):226-31.
35. ZHANG H, LI D, CAO H, LÜ X, CHU Y, BAI Y, JIN Y, PENG S, DOU Z, HUA J. Conophylline Promotes the Proliferation of Immortalized Mesenchymal Stem Cells Derived from Fetal Porcine Pancreas (iPMSCs). *Journal of Integrative Agriculture*. Volume 12, Issue 4, April 2013, Pages 678-686.
36. Bai T, Lian LH, Wu YL, Wan Y, Nan JX. Thymoquinone attenuates liver fibrosis via PI3K and TLR4 signaling pathways in activated hepatic stellate cells. *Int Immunopharmacol*. 2013 Feb;15(2):275-81.
37. Xu Z, Liu D, Fan C, Luan L, Zhang X, Wang E. DIXDC1 increases the invasion and migration ability of non-small-cell lung cancer cells via the PI3K-AKT/AP-1pathway. *Mol Carcinog*. 2013 Jun 29. doi: 10.1002/mc.22059.
38. Ding ZY, Jin GN, Liang HF, Wang W, Chen WX, Datta PK, Zhang MZ, Zhang B, Chen XP. Transforming growth factor β induces expression of connective tissue growth factor in hepatic progenitor cellsthrough Smad independent signaling. *Cell Signal*. 2013 May 28;25(10):1981-1992.
39. Liang L, Luo M, Fu Y, Zu Y, Wang W, Gu C, Zhao C, Li C, Effert T. Cajaninstilbene acid (CSA) exerts cytoprotective effects against oxidative stress through the Nrf2-dependentantioxidant pathway. *Toxicol Lett*. 2013 Jun 7;219(3):254-61.
40. Al Zobair AA, Al Obeidy BF, Yang L, Yang C, Hui Y, Yu H, Zheng F, Yang G, Xie C, Zhou F, Zhou Y. Concomitant overexpression of EGFR and CXCR4 is associated with worse prognosis in a new molecularsubtype of non-small cell lung cancer. *Oncol Rep*. 2013 Apr;29(4):1524-32.
41. Gao AM, Ke ZP, Wang JN, Yang JY, Chen SY, Chen H. Apigenin sensitizes doxorubicin-resistant hepatocellular carcinoma BEL-7402/ADM cells to doxorubicin viainhibiting PI3K/Akt/Nrf2 pathway.Carcinogenesis. 2013 May 6. [Epub ahead of print]
42. Zhang P, Wang W, Wang X, Wang X, Song Y, Zhang J, Zhao H. Focal adhesion kinase mediates atrial fibrosis via the AKT/S6K signaling pathway in chronic atrial fibrillationpatients with rheumatic mitral valve disease. *Int J Cardiol*. 2013 Apr 29. pii: S0167-5273(13)00749-3.
43. Ma L, Li J, Wang G, Gong S, Zhang L, Li K, Ji X, Liu Y, Chen P, Xiang X. Atrial natriuretic peptide suppresses Th17 development through regulation of cGMP-dependent protein kinaseand PI3K-Akt signaling pathways. *Regul Pept*. 2013 Feb 10;181:9-16.
44. Wang H, Zhao L, Zhu LT, Wang Y, Pan D, Yao J, You QD, Guo QL. Wogonin reverses hypoxia resistance of human colon cancer HCT116 cells via downregulation of HIF-1 α andglycolysis, by inhibiting PI3K/Akt signaling pathway. *Mol Carcinog*. 2013 Jun 13. doi: 10.1002/mc.22052.
45. Ma J, Zhang L, Zhang J, Liu M, Wei L, Shen T, Ma C, Wang Y, Chen Y, Zhu D. 15-lipoxygenase-1/15-hydroxyeicosatetraenoic acid promotes hepatocellular cancer cells growth through protein kinase B and heat shock protein 90 complex activation. *Int J Biochem Cell Biol*. 2013 Jun;45(6):1031-41.
46. Wang J, Yuan L, Xiao H, Xiao C, Wang Y, Liu X. Momordin Ic induces HepG2 cell apoptosis through MAPK and PI3K/Akt-mediated mitochondrial pathways. *Apoptosis*. 2013 Jun;18(6):751-65.
47. Xuejiao S, Yong X, Ningyu W, Lidan Z, Xuanhong S, Youzhi X, Tinghong Y, Yaojie S, Yongxia Z, Luoting Y. A Novel Benzothiazole Derivative YLT322 Induces Apoptosis via the Mitochondrial Apoptosis Pathway In Vitrowith Anti-Tumor Activity in Solid Malignancies. *PLoS One*. 2013 May 30;8(5):e63900.
48. Zhou Y, Zhu N, Wang X, Wang L, Gu LJ, Yuan WJ. Interferon regulatory factor 4 binding protein is a novel p53 target gene and suppresses

- cisplatin-induced apoptosis of breast cancer cells. *Arch Virol.* 2013 Feb;158(2):425-33.
49. Liu T, Yi W, Feng B, Zhou Z, Xiao G. IGF-1-induced enhancement of PRNP expression depends on the negative regulation of transcription factor FOXO3a. *PLoS One.* 2013 Aug 14;8(8):e71896. doi: 10.1371/journal.pone.0071896. eCollection 2013.
 50. Luo X, Dong Z, Chen Y, Yang L, Lai D. Enrichment of ovarian cancer stem-like cells is associated with epithelial to mesenchymal transition through an miRNA-activated AKT pathway. *Cell Prolif.* 2013 Aug; 46(4):436-46.
 51. Gao X, He Y, Gao LM, Feng J, Xie Y, Liu X, Liu L. Ser9-phosphorylated GSK3 β induced by 14-3-3 ζ actively antagonizes cell apoptosis in a NF- κ B dependent manner. *Biochem Cell Biol.* 2014 Oct; 92(5):349-56.
 52. Jia Y, Zuo D, Li Z, Liu H, Dai Z, Cai J, Pang L, Wu Y. Astragaloside IV inhibits doxorubicin-induced cardiomyocyte apoptosis mediated by mitochondrial apoptotic pathway via activating the PI3K/Akt pathway. *Chem Pharm Bull (Tokyo).* 2014;62(1):45-53.
 53. Yuan H, Chen R, Wu L, Chen Q, Hu A, Zhang T, Wang Z, Zhu X. The Regulatory Mechanism of Neurogenesis by IGF-1 in Adult Mice. *Mol Neurobiol.* 2014 Apr 29.
 54. Deng J, Huang Q, Wang Y, Shen P, Guan F, Li J, Huang H, Shi C. Hypoxia-inducible factor-1alpha regulates autophagy to activate hepatic stellate cells. *Biochem Biophys Res Commun.* 2014 Nov 14;454(2):328-34.
 55. Wu J, Feng X, Zhang B, Li J, Xu X, Liu J, Wang X, Wang J, Tong X. Blocking the bFGF/STAT3 interaction through specific signaling pathways induces apoptosis in glioblastoma cells. *J Neurooncol.* 2014 Oct;120(1):33-41.
 56. Song L, Jia Y, Zhu W, Newton IP, Li Z, Li W. N-terminal truncation mutations of adenomatous polyposis coli are associated with primary cilia defects. *Int J Biochem Cell Biol.* 2014 Oct;55:79-86.
 57. Du XH, Zhou XL, Cao R, Xiao P, Teng Y, Ning CB, Liu HL. FSH-induced p38-MAPK-mediated dephosphorylation at serine 727 of the signal transducer and activator of transcription 1 decreases Cyp1b1 expression in mouse granulosa cells. *Cell Signal.* 2015 Jan;27(1):6-14.
 58. Wen R, Hu S, Xiao Q, Han C, Gan C, Gou H, Liu H, Li L, Xu H, He H, Wang J. Leptin exerts proliferative and anti-apoptotic effects on goose granulosa cells through the PI3K/Akt/mTOR signaling pathway. *J Steroid Biochem Mol Biol.* 2015 May;149:70-9.
 59. Li Y, Zhu H, Wang S, Qian X, Fan J, Wang Z, Song P, Zhang X, Lu W, Ju D. Interplay of Oxidative Stress and Autophagy in PAMAM Dendrimers-Induced Neuronal Cell Death. *Theranostics.* 2015 Oct 8; 5(12):1363-77.
 60. Zhai M, He L, Ju X, Shao L, Li G, Zhang Y, Liu Y, Zhao H. Icarin Acts as a Potential Agent for Preventing Cardiac Ischemia/Reperfusion Injury. *Cell Biochem Biophys.* 2015 June;72(2):589-97.
 61. Lin D, Dai F, Sun LD, Zhou B. Toward an understanding of the role of a catechol moiety in cancer chemoprevention: The case of copper- and o-quinone-dependent Nrf2 activation by a catechol-type resveratrol analog. *Mol Nutr Food Res.* 2015 Dec;59(12):2395-406.
 62. Chen W, Xia J, Hu P, Zhou F, Chen Y, Wu J, Lei W, Shen Z. Follistatin-like 1 protects cardiomyoblasts from injury induced by sodium nitroprusside through modulating Akt and Smad1/5/9 signaling. *Biochem Biophys Res Commun.* 2016 Jan;469(3):418-23.
 63. Zhou N, Lu F, Liu C, Xu K, Huang J, Yu D, Bi L. IL-8 induces the epithelial-mesenchymal transition of renal cell carcinoma cells through the activation of AKT signaling. *Oncol Lett.* 2016 Sep;12(3):1915-1920.
 64. Li N, Zhang X, Dong H, Zhang S, Sun J, Qian Y. Lithium Ameliorates LPS-Induced Astrocytes Activation Partly via Inhibition of Toll-Like Receptor 4Expression. *Cell Physiol Biochem.* 2016;38(2):714-25.
 65. Feng B, Ye C, Qiu L, Chen L, Fu Y, Sun W. Mitochondrial ROS Release and Subsequent Akt Activation Potentially Mediated the Anti-Apoptotic Effect of a 50-Hz Magnetic Field on FL Cells. *Cell Physiol Biochem.* 2016;38(6):2489-99.
 66. He YH, Li MF, Zhang XY, Meng XM, Huang C, Li J. NLRC5 promotes cell proliferation via regulating the AKT/VEGF-A signaling pathway in hepatocellular carcinoma. *Toxicology.* 2016 Jun 1;359-360:47-57.
 67. Wang H, Li X, Liu H, Sun L, Zhang R, Li L, Wangding M, Wang J. Six1 induces protein synthesis signaling expression in duck myoblasts mainly via up-regulation of mTOR. *Genet Mol Biol.* 2016 Mar;39(1):151-61.
 68. Lan S, Wu L, Wang X, Wu J, Lin X, Wu W, Huang Z. Impact of HBeAg on the maturation and function of dendritic cells. *Int J Infect Dis.* 2016 May;46:42-8.
 69. Zhang R, Li L, Yuan L, Zhao M. Hypoxic preconditioning protects cardiomyocytes against hypoxia/reoxygenation-induced cell apoptosis via sphingosine kinase 2 and FAK/AKT pathway. *Exp Mol Pathol.* 2016 Feb;100(1):51-8.
 70. Wang P, Qiao Q, Li J, Wang W, Yao LP, Fu YJ. Inhibitory effects of geraniin on LPS-induced inflammation via regulating NF- κ B and Nrf2 pathways in RAW264.7 cells. *Chem Biol Interact.* 2016 Jun 25;253:134-42.
 71. Ren ZX, Zhao YF, Cao T, Zhen XC. Dihydromyricetin protects neurons in an MPTP-induced model of Parkinson's disease by suppressing glycogen synthase kinase-3 beta activity. *Acta Pharmacol Sin.* 2016 Sep;37(10):1315-1324.
 72. Chen Y, Bai X, Zhang Q, Wen L, Su W, Fu Q, Sun X, Lou Y, Yang J, Zhang J, Chen Q, Wang J, Liang T. The hepatitis B virus X protein promotes pancreatic cancer through modulation of the PI3K/AKT signaling pathway. *Cancer Lett.* 2016 Sep 28;380(1):98-105.
 73. Gu Y, Liang Z, Wang H, Jin J, Zhang S, Xue S, Chen J, He H, Duan K, Wang J, Chang X, Qiu C. Tanshinone IIA protects H9c2 cells from oxidative stress-induced cell death via microRNA-133 upregulation and Akt activation. *Exp Ther Med.* 2016 Aug;12(2):1147-1152.
 74. Sun Y, Zhao Y, Wang X, Zhao L, Li W, Ding Y, Kong L, Guo Q, Lu N. Wogonoside prevents colitis-associated colorectal carcinogenesis and colon cancer progression in inflammation-related microenvironment via inhibiting NF- κ B activation through PI3K/Akt pathway. *Oncotarget.* 2016 Jun 7;7(23):34300-15.
 75. Zhang S, Zhang C, Tang S, Deng S, Zhou Y, Dai C, Yang X, Xiao X. AKT/TSC2/p70S6K signaling pathway is involved in quinocetone-induced death-promoting autophagy in HepG2 cells. *Toxicol Mech Methods.* 2016 May;26(4):301-10.
 76. Shi J, Wang H, Guan H, Shi S, Li Y, Wu X, Li N, Yang C, Bai X, Cai W, Yang F, Wang X, Su L, Zheng Z, Hu D. IL10 inhibits starvation-induced autophagy in hypertrophic scar fibroblasts via cross talk between the IL10-IL10R-STAT3 and IL10-AKT-mTOR pathways. *Cell Death Dis.* 2016 Mar 10;7:e2133.
 77. Li L, Zhang X, Li X, Lv C, Yu H, Xu M, Zhang M, Fu Y, Meng H, Zhou J. TGF- β 1 inhibits the apoptosis of pulmonary arterial smooth muscle cells and contributes to pulmonary vascular medial thickening via the PI3K/Akt pathway. *Mol Med Rep.* 2016 Mar;13(3):2751-6.
 78. Deng W, Wang Y, Long X, Zhao R, Wang Z, Liu Z, Cao S, Shi B. miR-21 Reduces Hydrogen Peroxide-Induced Apoptosis in c-kit+ Cardiac Stem Cells In Vitro through PTEN/PI3K/Akt Signaling. *Oxid Med Cell Longev.* 2016;2016:5389181.
 79. Cui Y, Lu P, Song G, Liu Q, Zhu D, Liu X. Involvement of PI3K/Akt, ERK and p38 signaling pathways in emodin-mediated extrinsic and intrinsic humanhepatoblastoma cell apoptosis. *Food Chem Toxicol.* 2016 Jun;92:26-37.
 80. Wang LH, Jiang XR, Yang JY, Bao XF, Chen JL, Liu X, Chen GL, Wu CF. SYP-5, a novel HIF-1 inhibitor, suppresses tumor cells invasion and angiogenesis. *Eur J Pharmacol.* 2016 Nov 15;791:560-568.
 81. Geng Y, Xing L, Sun M, Su F. Immunomodulatory effects of sulfated polysaccharides of pine pollen on mouse macrophages. *Int J Biol Macromol.* 2016 Oct;91:846-55.
 82. Jiang MC, Chen XH, Zhao X, Zhang XJ, Chen WF. Involvement of IGF-1 receptor signaling pathway in the neuroprotective effects of Icaritin against MPP(+)-induced toxicity in MES23.5 cells. *Eur J Pharmacol.* 2016 Sep 5;786:53-9.
 83. Ke ZP, Xu P, Shi Y, Gao AM. MicroRNA-93 inhibits ischemia-reperfusion induced cardiomyocyte apoptosis by targeting PTEN. *Oncotarget.* 2016 May 17;7(20):28796-805.
 84. Wang Y, Zhang B, Liu W, Dai Y, Shi Y, Zeng Q, Wang F. Noninvasive bioluminescence imaging of the dynamics of sanguinarine induced apoptosis via activation of reactive oxygen species. *Oncotarget.* 2016 Apr 19;7(16):22355-67.
 85. Yan F, Dai G, Zheng X. Mulberry anthocyanin extract ameliorates insulin resistance by regulating PI3K/AKT pathway in HepG2 cells and db/db mice. *J Nutr Biochem.* 2016 Oct;36:68-80.
 86. Qian T, Wang K, Cui J, He Y, Yang Z. Angiopoietin-Like Protein 7 Promotes an Inflammatory Phenotype in RAW264.7 Macrophages Through the P38 MAPK Signaling Pathway. *Inflammation.* 2016 Jun;39(3):974-85.
 87. Xiang T, Fei R, Wang Z, Shen Z, Qian J, Chen W. Nicotine enhances invasion and metastasis of human colorectal cancer cells through the nicotinic acetylcholine receptor downstream p38 MAPK signaling

pathway. *Oncol Rep.* 2016 Jan;35(1):205-10.

88. Rui W, Guan L, Zhang F, Zhang W, Ding W. PM2.5-induced oxidative stress increases adhesion molecules expression in human endothelial cellsthrough the ERK/AKT/NF- κ B-dependent pathway. *J Appl Toxicol.* 2016 Jan;36(1):48-59.
89. Qin Z, Feng J, Liu Y, Deng LL, Lu C. PDGF-D promotes dermal fibroblast invasion in 3-dimensional extracellular matrix via Snail-mediated MT1-MMP upregulation. *Tumour Biol.* 2016 Jan;37(1):591-9.
90. Xu Y, Xu J, Shan W, Liu M, Cui Y, Li L, Liu C, Huang Y. The transport mechanism of integrin $\alpha v\beta 3$ receptor targeting nanoparticles in Caco-2 cells. *Int J Pharm.* 2016 Mar 16;500(1-2):42-53.
91. Sun G, Hou YB, Jia HY, Bi XH, Yu L, Chen DJ. MiR-370 promotes cell death of liver cancer cells by Akt/FoxO3a signalling pathway *Eur Rev Med Pharmacol Sci.* 2016 May;20(10):2011-9.
92. Chen L, Meng Y, Sun Q, Zhang Z, Guo X, Sheng X, Tai G, Cheng H, Zhou Y. Ginsenoside compound K sensitizes human colon cancer cells to TRAIL-induced apoptosis via autophagy-dependent and -independent DR5 upregulation. *Cell Death Dis.* 2016 Aug 11;7(8):e2334.
93. Li K, Wei L, Huang Y, Wu Y, Su M, Pang X, Wang N, Ji F, Zhong C, Chen T. Leptin promotes breast cancer cell migration and invasion via IL-18 expression and secretion. *Int J Oncol.* 2016 Jun;48(6):2479-87.
94. Wang C, Wang H, Wu D, Hu J, Wu W, Zhang Y, Peng X. A novel perspective for burn-induced myopathy: Membrane repair defect. *Sci Rep.* 2016 Aug 22;6:31409.
95. Luo QQ, Qian ZM, Zhou YF, Zhang MW, Wang D, Zhu L, Ke Y. Expression of Iron Regulatory Protein 1 Is Regulated not only by HIF-1 but also pCREB under Hypoxia. *Int J Biol Sci.* 2016 Sep 15;12(10):1191-1202.
96. Li X, Liu F, Zhang X, Shi G, Ren J, Ji J, Ding L, Fan H, Dou H, Hou Y. Notch-Hes-1 axis controls TLR7-mediated autophagic death of macrophage via induction of P62 in micewith lupus. *Cell Death Dis.* 2016 Aug 18;7(8):e2341.
97. Yao HC, Zhou M, Zhou YH, Wang LH, Zhang DY, Han QF, Liu T, Wu L, Tian KL, Zhang M. Intravenous high mobility group box 1 upregulates the expression of HIF-1 α in the myocardium via a protein kinase B-dependent pathway in rats following acute myocardial ischemia. *Mol Med Rep.* 2016 Feb;13(2):1211-9.
98. Wan J, Wu W, Chen Y, Kang N, Zhang R. Insufficient radiofrequency ablation promotes the growth of non-small cell lung cancer cells throughPI3K/Akt/HIF-1 α signals. *Acta Biochim Biophys Sin (Shanghai).* 2016 Apr;48(4):371-7.
99. Wang Y, Nie H, Zhao X, Qin Y, Gong X. Bicyclol induces cell cycle arrest and autophagy in HepG2 human hepatocellular carcinoma cells through the PI3K/AKT and Ras/Raf/MEK/ERK pathways. *BMC Cancer.* 2016 Sep 21;16(1):742.
100. Wu D, Cheng J, Sun G, Wu S, Li M, Gao Z, Zhai S, Li P, Su D, Wang X. p70S6K promotes IL-6-induced epithelial-mesenchymal transition and metastasis of head and necksquamous cell carcinoma. *Oncotarget.* 2016 Jun 14;7(24):36539-36550.
101. Li E, Deng H, Wang B, Fu W, You Y, Tian S. Apelin-13 exerts antidepressant-like and recognition memory improving activities in stressed rats. *Eur Neuropsychopharmacol.* 2016 Mar;26(3):420-30.
102. You M, Dong G, Li F, Ma F, Ren J, Xu Y, Yue H, Tang R, Ren D, Hou Y. Ligation of CD180 inhibits IFN- α signaling in a Lyn-PI3K-BTK-dependent manner in B cells. *Cell Mol Immunol.* 2017;14:192–202.
103. Su AR, Qiu M, Li YL, Xu WT, Song SW, Wang XH, Song HY, Zheng N, Wu ZW. BX-795 inhibits HSV-1 and HSV-2 replication in a JNK/p38-dependent manner without interfering with PDK1activity. *Acta Pharmacol Sin.* 2017 Jan 23.doi: 10.1038/aps.2016.160. [Epub ahead of print]
104. Li Y, Hu N, Yang D, Oxenkrug G, Yang Q. Regulating the balance between the kynurenone and serotonin pathways of tryptophan metabolism. *FEBS J.* 2017 Jan 24.doi: 10.1111/febs.14026. [Epub ahead of print]
105. Shi B, Deng W, Long X, Zhao R, Wang Y, Chen W, Xu G, Sheng J, Wang D, Cao S. miR-21 increases c-kit+ cardiac stem cell proliferation in vitro through PTEN/PI3K/Akt signaling. *PeerJ.* 2017 Jan 5;5:e2859.
106. Zhang C, Li C, Chen S, Li Z, Ma L, Jia X, Wang K, Bao J, Liang Y, Chen M, Li P, Su H, Lee SM, Liu K, Wan JB, He C. Hormetic effect of panaxatriol saponins confers neuroprotection in PC12 cells and zebrafish throughPI3K/AKT/mTOR and AMPK/SIRT1/FOXO3 pathways. *Sci Rep.* 2017 Jan 23;7:41082.

Version 2016.09.19