



碧云天生物技术/Beyotime Biotechnology
订货热线: 400-168-3301或800-8283301
订货e-mail: order@beyotime.com
技术咨询: info@beyotime.com
网址: http://www.beyotime.com

BSA, Fraction V

产品编号	产品名称	包装
ST023-50g	BSA, Fraction V	50g
ST023-200g	BSA, Fraction V	200g
ST023-1000g	BSA, Fraction V	1000g

产品简介:

- BSA即Bovine Serum Albumin, 也称Bovine albumin, 或Cohn Fraction V, 中文名为牛血清白蛋白。分子量约为66kD, CAS Number 9048-46-8, 纯度>98%, DNase、RNase、Protease free。进口分装。
- 本产品纯度高, 为淡黄白色粉末。
- 本产品应用范围广, 常用于免疫相关实验, 如用于Western、ELISA和免疫染色的封闭、一抗或二抗的稀释等。此外, 本产品也可以作为蛋白浓度定量检测的标准品。
- 本产品PBS中的溶解度大于50mg/ml, 确保可以配制成透明澄清的5%BSA溶液, 配制好的溶液呈淡黄色。

包装清单:

产品编号	产品名称	包装
ST023-50g	BSA, Fraction V	50g
ST023-200g	BSA, Fraction V	200g
ST023-1000g	BSA, Fraction V	1000g
—	说明书	1份

保存条件:

4°C保存。

注意事项:

- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用本产品的文献:

- Sheng X, Li M, Song S, Zhang N, Wang Y, Liang H, Wang W, Ji A. Sulfated polysaccharide isolated from the sea cucumber *Stichopus japonicus* promote neurosphere migration and differentiation via up-regulation of N-Cadherin. *Cell Mol Neurobiol.* 2012 Apr; 32(3):435-42.
- Yang XJ, Lu HY, Li ZY, Bian Q, Qiu LL, Li Z, Liu Q, Li J, Wang X, Wang SL. Cytochrome P450 2A13 mediates aflatoxin B1-induced cytotoxicity and apoptosis in human bronchial epithelial cells. *Toxicology.* 2012 Oct 28;300(3):138-48.
- Zhou TT, Zhang ZW, Liu J, Zhang JP, Jiao BH. Glycosylation of the sodium channel β 4 subunit is developmentally regulated and involves in neuritic degeneration. *Int J Biol Sci.* 2012;8(5):630-9.
- Liu C, Lv XH, Li HX, Cao X, Zhang F, Wang L, Yu M, Yang JK. Angiotensin-(1-7) suppresses oxidative stress and improves glucose uptake via Mas receptor in adipocytes. *Acta Diabetol.* 2012 Aug; 49(4):291-9.
- Ye Q, Huang B, Zhang X, Zhu Y, Chen X. Astaxanthin protects against MPP(+)-induced oxidative stress in PC12 cells via the HO-1/NOX2 axis. *BMC Neurosci.* 2012 Dec 29;13:156.
- Yu H, Li X, Sun S, Gao X, Zhou D. c-Met inhibitor SU11274 enhances the response of the prostate cancer cell line DU145 to ionizing radiation. *Biochem Biophys Res Commun.* 2012 Oct 26;427(3):659-65.
- Lin F, Xu W, Guan C, Zhou M, Hong W, Fu L, Liu D, Xu A. Niacin protects against UVB radiation-induced apoptosis in cultured human skin keratinocytes. *Int J Mol Med.* 2012 Apr;29(4):593-600.
- Fei X, Jiang S, Zhang S, Li Y, Ge J, He B, Goldstein S, Ruiz G. Isolation, Culture, and Identification of Amniotic Fluid-Derived Mesenchymal Stem Cells. *Cell Biochem Biophys.* 2013 Nov;67(2):689-94.
- Li Q, Zhou X, Shi Y, Li J, Zheng L, Cui L, Zhang J, Wang L, Han Z, Han Y, Fan D. In vivo tracking and comparison of the therapeutic effects of MSCs and HSCs for liver injury. *PLoS One.* 2013 Apr 30;8(4):e62363.
- Ye Q, Zhang X, Huang B, Zhu Y, Chen X. Astaxanthin suppresses MPP(+)-induced oxidative damage in PC12 cells through a Sp1/NR1 signaling pathway. *Mar Drugs.* 2013 Mar 28;11(4):1019-34.
- Peng YT, Shi XE, Li ZQ, He X, Sun YM. Particularly interesting Cys-His-rich protein is highly expressed in human intracranial aneurysms and resists aneurysmal rupture. *Exp Ther Med.* 2016 Dec; 12(6): 3905-12.
- Chen X, Hou XM, Fan YF, Jin YT, Wang YL. Sonic hedgehog protein regulates fibroblast growth factor 8 expression in metanephric explant culture from BALB/c mice: Possible mechanisms associated with renal morphogenesis. *Mol Med Rep.* 2016 Oct;14(4):2929-36.
- Tao R, Ni Z, Liu C, Zhu M, Ji X, Chen X, Shen J, Tu S. Expression, purification and identification of an immunogenic fragment in the ectodomain of prostate-specific membrane antigen. *Exp Ther Med.* 2016 Mar;11(3):747-752.
- Shi X, Yang H, Xu L, Li X, Huang Z, Han Y, Wei Q, Rao C. Quality-control method for the determination of biological activity of engineered calcineurin subunit B. *Sci China Life Sci.* 2016 Jun;59(6):584-8.